
ASİLKOM®

Kompresör

Makine San. Tic. Ltd. Şti

Sorun hava ise, çözüm bizde!



ASİLKOM®
Kompresör

Are You Ready to Rediscover the Power of Air?

By combining superior performance, energy efficiency, advanced technology, and durability, we meet the needs of industries and provide you with reliability in every breath.

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör

WHO IS ASİLKOM KOMPRESÖR

Asilkom Kompresör is a privately-owned compressor factory founded in 1995, located in Bursa, Turkey. We develop and manufacture a wide range of compressors, air dryers and filters, activated carbon towers, chemical dryers, boosters, and nitrogen machines, as well as provide spare parts. Our facility has a serial production capacity of 5,500 m², consisting of 3,000 m² of indoor space and 2,500 m² of outdoor space.



With our experienced team, widespread network of dealers, service centers and the trust of our valued customers, Asilkom products have become leaders in quality. With this sense of responsibility, we are proud to offer you products that consistently follow innovative, efficient technologies and never compromise on quality.

ASİLKOM®
Kompresör

Mission

As a company that manufactures durable and efficient compressed air systems that add value and are preferred in both the Turkish industry and the global market, we lead the sector. By closely following technological developments worldwide, we continuously improve the quality of our products and offer innovative solutions to maximize customer satisfaction. Staying true to our company values, we aim for sustainable growth at both individual and corporate levels and strive to make long-term contributions to the industry.

Vision

We aim to be a leading Turkish company in the field of compressed air systems, preferred both in Turkey and internationally, by providing quick and effective solutions to all our customers' needs and maintaining the strongest support network in the industry for after-sales services. With our innovative and trusted products, our goal is to achieve sustainable growth and excellence on a global scale.

Environmental Policy

With our compressor manufacturing in this sector, our company has established a strong presence in the compressed air industry and has ensured customer satisfaction over the years. Asilkom manufactures efficient, durable, and ecological air equipment that provides high air quality, while also focusing on environmental and social growth. We are committed to ensuring safety, taking care of the environment, and providing growth opportunities for our employees.

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör

Why Asilkom Kompresör?

• Energy Saving

With our closed-loop system, we ensure that your compressor operates at maximum efficiency. This system maintains air at a constant pressure, providing an equal and stable airflow to all your machines. As a result, the compressor only works when necessary, preventing unnecessary energy consumption. This not only leads to electricity savings but also significantly extends the lifespan of your compressor.

• Low Operating Cost

Industry 4.0 represents the most advanced technological standards of today. By incorporating this technology into our manufacturing processes, we provide remote access to your compressors and can instantly detect potential issues. This allows us to resolve any technical disruptions quickly and efficiently through remote support as will as minimizing both your service needs and operational costs.

• Quality Production

Our company manufactures CE-certified compressors based on the highest quality standards. By using German-made components in our production process, we maximize durability, efficiency, and safety. Through our innovative engineering approach and meticulous manufacturing processes, we deliver long-lasting, high-performance solutions to our customers. With our reliable, robust, and energy-efficient compressors, we provide the best possible solutions for your industrial needs.

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör





ASİLKOM Single Stage Compressors

- Oil-Injected System
- Aluminum Body
- Dual Pistone
- Tank Capacity 100-200-300 Lt
- High-quality Service Permanent Solutions
- Maximum Performance

Motor : 1.5 - 3 KW

Voltage : 400 V

Phase : Single-phase - Three-phase

Capacity : 262 - 485 lt/min

Air producer : Asilkom

Cylinder : 2

Pressure : 9 Bar - 130 PSI

Dimensions :100 Lt 1150 x 510 x 940 mm

Dimensions: 200 Lt 1370 x 610 x 1030 mm

Dimensions : 300 Lt 1680 x 500 x1010 mm

Weight : 69 - 105 - 170 Kg

info@asilkom.com.tr

www.asilkom.com.tr

ASİLKOM®
Kompresör





ASİLKOM Double Stage Compressors

- Oil-Injected System
- Aluminum Body
- Dual Pistone
- Tank Capacity 300 - 500 Lt
- High-quality Service Permanent Solutions
- Maximum Performance

Motor :4 - 7.5 KW

Voltage : 400 V

Phase : Three-phase

Capacity : 653 - 860 - 1210 lt/min

Air producer : Asilkom

Cylinder : 2

Pressure : 12 Bar - 159 PSI

Dimensions : 300 Lt 1680 x 500 x1010 mm


Dimensions 500 Lt 1950 x 650 x 1250 mm

Weight : 230 - 235 - 250 Kg


info@asilkom.com.tr

www.asilkom.com.tr

ASİLKOM®
Kompresör



ASİLKOM Industryal Piston Air Compressors



- Oil-Injected System
- Aluminum Body
- Dual Pistone
- Tank Capacity 500 - 1000 Lt
- High-quality Service Permanent Solutions
- Maximum Performance

Motor : 4 - 7.5 - 2x2.5 - 2x7.5 KW

Voltage : 400 V

Phase : Three-phase

Capacity : 653 - 827 - 860
1210 - 1654 - 2420 lt/min

Air producer : Asilkom

Cylinder : 2 - 4

Pressure : 9 Bar 130 PSI
12 Bar 159 PSI

Dimensions : 1000 x 750 x 600
2650 x 750 x 600 mm

Weight : 155 - 340 Kg

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör



ASİLKOM Diesel - Gasoline Air Compressors

- Oil-Injected System
- Aluminum Body
- Dual Pistone
- Tank Capacity 200 - 300 - 500 Lt
- High-quality Service Permanent Solutions
- Maximum Performance
- Diesel and Gasoline motor

Motor : 6 - 7.2 - 10.5 KW

Capacity : 520 - 653 - 860 1210 lt/min

Air producer : Asilkom

Cylinder : 2

Pressure : 12 Bar 159 PSI

Dimensions : 200 Lt 1330 x 630 x 1160 mm

Dimensions : 300 Lt 1700 x 550 x 1200 mm

Dimensions : 500 Lt 1950 x 650 x1350 mm


Dimensions : 500 Lt 1700 x 900 x1400 mm

Weight : 145 - 165 - 230 - 235 Kg

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör





ASİLKOM Silent Piston Air Compressors

- Oil-Injected System
- Aluminum Body
- Dual Pistone
- Tank Capacity
  100 - 300 - 500 Lt
- High-quality Service
  Permanent Solutions
- Maximum Performance

Motor : 1.5 - 4 - 7.5 KW

Voltage : 400 V

Phase : Single-phase - Three-phase

Capacity : 262 - 373 - 485
520 - 653 - 827 - 1210 lt/min

Air producer : Asilkom

Cylinder : 2

Pressure : 9 Bar 130 PSI
12 Bar 159 PSI

Dimensions : 100 Lt - 200 Lt - 300 Lt
1000 x 600 x 880 mm

Dimensions : 500 Lt 1010 x 700 x 1000 mm

Weight : 145 - 155 - 160 - 170
175 - 200 Kg

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör

15 HP 500 lt ASİLKOM Screw Air Compressor with Tank-Mounted Dryer AVK 15



- Digital Display
- Minimum Temperature
- Minimum Noise
- Energy Saving
- High-quality Service Permanent Solutions
- Maximum Performance

Tank capacity : 500 lt
Motor : 11 KW / 15 HP
Voltage : 380 V
Pressure : 8-15 Bar
Capacity : 1900 lt/min
Sound level : 68 dB
Weight : 422 Kg
Dimensions : 800x900x950

20 HP 500 lt ASİLKOM Screw Air Compressor with Tank-Mounted Dryer AVK 20



- Digital Display
- Minimum Temperature
- Minimum Noise
- Energy Saving
- High-quality Service Permanent Solutions
- Maximum Performance

Tank capacity : 500 lt
Motor : 15 KW / 20 HP
Voltage : 380 V
Pressure : 8 -15 Bar
Capacity : 2600 lt/min
Sound level : 70 dB
Weight : 432 Kg
Dimensions : 800x900x950

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör





ASİLKOM Screw Air Compressors

Code	7.5 BAR Lt/min	10 BAR Lt/min	13 BAR Lt/min	Kw	Hp	R"	Db(a)	X x Y x Z
AVK 7,5-500 Lt. Tank Üstü	900	700	600	5.5	7.5	3/4"	65	1950x600x1430
AVK 10-50 Lt. Tank Üstü	1050	950	850	7.5	10	3/4"	65	9500x600x1430
AVK 15-500 Lt. Tank Üstü	1900	1600	1250	11	15	3/4"	68	1950x700x1500

AVK 15	1900	1600	1250	11	15	3/4"	68	750x800x1210
AVK 20	2600	2100	1600	15	20	1"	70	850x1000x1400
AVK 25	3450	2850	2150	18	25	1"	71	1050x1050x1520
AVK 30	3800	3300	2900	22	30	1 1/4	71	1050x1050x1520
AVK 40	5300	4400	3600	30	40	1 1/4	72	1050x1050x1520
AVK 50	6300	5400	4400	37	50	1 1/2	75	1050x1050x1520
AVK 60	7500	6500	5600	45	60	2"	75	1050x1050x1520
AVK 75	9600	8500	6900	55	75	2"	77	1500x2000x1800
AVK 100	13100	11000	9200	75	100	2"	77	1500x2000x1800
AVK 125	16200	14000	12000	90	125	3"	78	1500x2000x1800
AVK 150	20000	17000	14500	110	150	3"	78	1500x2000x1800
AVK 180	23400	19500	17000	132	180	3"	78	1500x2000x1800
AVK 220	27500	23700	19800	160	220	3"	78	2000x2000x1800
AVK 270	36700	30900	25200	200	270	3"	79	2000x2000x1800
AVK 340	44500	38000	32000	250	340	3"	79	2000x2000x1800

info@asilkom.com.tr
www.asilkom.com.tr


ASİLKOM®
Kompresör

ASİLKOM Tanks




5000 Lt. | 3000 Lt. | 2000 Lt. | 1000 Lt. | 500 Lt.

Code	Stationary	A (mm)	B (mm)	C (mm)	Kg
100 LT/DİK TANK	100	323	1150	1600	55
200 LT/DİK TANK	200	400	1500	1950	85
300 LT/DİK TANK	300	550	1200	1760	95
500 LT/DİK TANK	500	600	1500	2090	180
1000 LT/DİK TANK	1000	850	1500	2220	320
2000 LT/DİK TANK	2000	1150	1500	2340	650
3000 LT/DİK TANK	3000	1400	1500	2480	800
5000 LT/DİK TANK	5000	1600	2000	3100	1860



info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör







ASİLKOM Air Dryers and Filters



DRYER MODEL	AIR FLOW Nm³/min
AK 900	0.9
AK 1200	1.2
AK 1800	1.8
AK 2200	2.2
AK 2600	2.6
AK 3100	3.1
AK 3700	3.7
AK 5500	5.5
AK 6500	6.5
AK 8500	8.5
AK 11.000	11
AK 13.000	13
AK 17.000	17.8
AK 20.000	20
AK 25.500	25.5
AK 30.000	30
AK 35.500	35.5
AK 40.000	40
AK 45.000	45
AK 50.000	50
AK 60.000	60
AK 71.000	71
AK 80.000	80
AK 90.000	90
AK 106.000	106
AK 120.000	120

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör



ASİLKOM activated carbon tower integrated unheated chemical dryer

Model		Capacity Nlt/min	Capacity Nm3/h	Connection	Filter Type Entrance-Outlet
Asilkom- 90	PLUS Chemical Dryer	1500 lt/min	90 m³/h	1/2"	CND015 - PF014
Asilkom- 105	PLUS Chemical Dryer	1750 lt/min	105 m³/h	3/4"	CND020 - PF018
Asilkom- 130	PLUS Chemical Dryer	2167 lt/min	130 m³/h	3/4"	CND020 - PF018
Asilkom- 160	PLUS Chemical Dryer	2667 lt/min	160 m³/h	1"	CND050 - PF040
Asilkom- 195	PLUS Chemical Dryer	3250 lt/min	195 m³/h	1"	CND050 - PF040
Asilkom- 225	PLUS Chemical Dryer	3750 lt/min	225 m³/h	1"	CND050 - PF040
Asilkom- 260	PLUS Chemical Dryer	4333 lt/min	260 m³/h	1"	CND050 - PF040
Asilkom- 300	PLUS Chemical Dryer	5000 lt/min	300 m³/h	11/2"	CND100 - PF075
Asilkom- 360	PLUS Chemical Dryer	6000 lt/min	360 m³/h	11/2"	CND100 - PF075
Asilkom- 450	PLUS Chemical Dryer	7500 lt/min	450 m³/h	11/2"	CND100 - PF075
Asilkom- 510	PLUS Chemical Dryer	8500 lt/min	510 m³/h	11/2"	CND100 - PF110
Asilkom- 580	PLUS Chemical Dryer	9667 lt/min	580 m³/h	2"	CND200 - PF160
Asilkom- 650	PLUS Chemical Dryer	10833 lt/min	650 m³/h	2"	CND200 - PF160
Asilkom- 750	PLUS Chemical Dryer	12500 lt/min	750 m³/h	2"	CND200 - PF160
Asilkom- 950	PLUS Chemical Dryer	15833 lt/min	950 m³/h	2"	CND200 - PF210
Asilkom- 1150	PLUS Chemical Dryer	19167 lt/min	1150 m³/h	2"	CND200 - PF210
Asilkom- 1350	PLUS Chemical Dryer	22500 lt/min	1350 m³/h	3"	CND300 - PF300
Asilkom- 1500	PLUS Chemical Dryer	25000 lt/min	1500 m³/h	3"	CND300 - PF300
Asilkom- 1800	PLUS Chemical Dryer	30000 lt/min	1800 m³/h	3"	CND300 - PF300
Asilkom- 2200	PLUS Chemical Dryer	36667 lt/min	2200 m³/h	3"	CND500 - PF400
Asilkom- 2700	PLUS Chemical Dryer	45000 lt/min	2700 m³/h	3"	CND500 - PF500
Asilkom- 3300	PLUS Chemical Dryer	55000 lt/min	3300 m³/h	4"	SFF600 - PFF600
Asilkom- 3900	PLUS Chemical Dryer	65000 lt/min	3900 m³/h	4"	SFF600 - PFF600
Asilkom- 4500	PLUS Chemical Dryer	75000 lt/min	4500 m³/h	4"	SFF800 - PFF800

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör

Asilkom

Air Laser Cutting System

The Air Laser Cutting System is a technology that uses high-pressure air in conjunction with a laser beam during the cutting process to ensure faster, cleaner, and more efficient cutting of materials. The air helps remove molten or burned particles, resulting in smoother cutting edges and reducing the heat impact. This system provides a more cost-effective and environmentally friendly alternative, especially for materials such as sheet metal, acrylic, and wood.



Air Laser Cutting System

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör

Are You Ready to Produce Your Own Azote gas with ASİLKOM?

With the Asilkom Azote Production System, you can produce nitrogen with a purity of 99.99% on your own and increase your profits. The money you spend on filling can be used to grow your business even further.



Azote Production System

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör

Welding Gas Machine

The Welding Gas machine, designed for industrial and professional welding applications, delivers maximum performance and safety during your welding operations. The low-pressure methodology that is used not only saves energy but also reduces operational costs. With continuous gas production, it ensures uninterrupted operation and minimizes the risk of dangerous situations during potential downtimes.



info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör



ASİLKOM Welding Gas Machine

MODEL		Max. Çalışma Basıncı	Giriş Bağlantı Ölçüsü	Çıkış Bağlantı Ölçüsü	Beslediği Kaynak Makinesi
NW- 1	NITROTECH WELDING GAS	10 bar	1/2"	1/2"	1
NW- 2	NITROTECH WELDING GAS	10 bar	1/2"	1/2"	2
NW- 3	NITROTECH WELDING GAS	10 bar	1/2"	1/2"	3
NW- 4	NITROTECH WELDING GAS	10 bar	1/2"	1/2"	4
NW- 5	NITROTECH WELDING GAS	10 bar	3/4"	1/2"	5
NW- 6	NITROTECH WELDING GAS	10 bar	3/4"	1/2"	6
NW- 7	NITROTECH WELDING GAS	10 bar	3/4"	1/2"	7
NW- 8	NITROTECH WELDING GAS	10 bar	1"	1/2"	8
NW- 9	NITROTECH WELDING GAS	10 bar	1"	1/2"	9
NW- 10	NITROTECH WELDING GAS	10 bar	1"	1/2"	10

Please contact us for higher capacity

info@asilkom.com.tr
www.asilkom.com.tr

ASİLKOM®
Kompresör

CONTACT US

asilkomkompresor

www.asilkom.com.tr

info@asilkom.com.tr

+90 541 938 21 80
+90 532 587 54 52
+90 224 482 48 98

Üçevler Mah. 33. Sokak No:21
Küçük Sanayi Sitesi 66/A Blok
NİLÜFER / BURSA